

One-Stop Auto And Motorcycle Modification Parts Supplier

HAOFA RACING

Gongye Street, Beifang Industrial Park, Hengshui City, Hebei Province, China.

Tel: +86-19831469190

+86-18395619528

+86-15633874345

E-mail: haofa@hf-autoparts.com



HaoFa Racing
PERFORMANCE

2016-2022


www.haofa-racing.com




>> BRAKE HOSE

● PTFE Brake hose

Part No	Size inch	I.D. mm	O.D. mm	W.P. mpa	W.P. mpa	M.B.R. mm
HF-PTFE-36-3	1/8	3.2	7.5	27.6	49	80



● Nylon Brake Hose




Part No	HF-Nylon-36-3
Size(inch)	1
I.D.(mm)	3.2
O.D.(mm)	7.5
W.P.(mpa)	27.6
B.P.(mpa)	49
M.B.R.(mm)	85




>> BRAKE FITTINGS

Material: anodised aluminium(AL), brass(BR), stainless steel(SS), zinc plated steel(ST)




● Bulkhead

Part No	A	B	Material
HF-908-3-3	3	3	SS,ST,BR
HF-908-4-4	4	4	SS,ST,BR
HF-908-10-3	M10X1	3	SS,ST,BR



● Male Flare Union

Part No	AN	Thread	Material
HF-902-3	-3	AN3	SS,ST,BR
HF-902-4	-3	AN4	SS,ST,BR
HF-902-5	-3	M10X1.0	SS,ST,BR
HF-902-6	M10X1.0	M10X1.0	SS,ST,BR
HF-902-7	-3	M10X1.25	SS,ST,BR
HF-902-8	-3	M10X1.5	SS,ST,BR
HF-902-9	-3	M12X1.0	SS,ST,BR
HF-902-10	-3	M12X1.25	SS,ST,BR
HF-902-11	-3	M12X1.5	SS,ST,BR
HF-902-12	-3	M14X1.5	SS,ST,BR
HF-902-13	-4	AN4	SS,ST,BR



● AN To NPT Straicht

Part No	AN	NPT	Material
HF-900-3-1/8	-3	1/8"	SS,ST,BR
HF-900-4-1/8	-4	1/8"	SS,ST,BR
HF-900-3-1/4	-3	1/4"	SS,ST,BR
HF-900-4-1/4	-4	1/4"	SS,ST,BR
HF-900-6-1/8	-6	1/8"	SS,ST,BR
HF-900-3-1/16	-3	1/16"	SS,ST,BR
HF-900-4-1/16	-4	1/16"	SS,ST,BR



● Bleed Nipples

Part No	Thread	Material
HF-907-24	7/16-24	AL,BR,SS,ST
HF-907-3	3	AL,BR,SS,ST
HF-907-4	4	AL,BR,SS,ST
HF-907-1	M10X1.0	AL,BR,SS,ST
HF-907-1.25	M10X1.25	AL,BR,SS,ST



● Inverted Flare Adapter

Part No	AN	Thread	Material
HF-904-3	-3	M10X1.0	BR,SS,ST
HF-904-3-1	-3	M10X1.25	BR,SS,ST
HF-904-3-2	-3	7/16-20	BR,SS,ST
HF-904-4	-4	M12X1.25	BR,SS,ST
HF-904-4-1	-4	M10X1.0	BR,SS,ST
HF-904-3-3	-3	M10X1.5	BR,SS,ST
HF-904-3-4	-3	M10X1.25	BR,SS,ST




● Stainless Steel Inverted Seat Adapter

Part No	AN	Thread	Material
HF-903-1	-3	3/8-24	BR,SS,ST
HF-903-2	-3	7/16-24	BR,SS,ST
HF-903-3	-3	9/16-18	BR,SS,ST
HF-903-4	-3	9/16-20	BR,SS,ST
HF-903-5	-3	7/16-20	BR,SS,ST
HF-903-6	-3	1/2-20	BR,SS,ST
HF-903-7	-3	M12X1.25	BR,SS,ST
HF-903-8	-3	M10X1.0	BR,SS,ST
HF-903-9	-3	M10X1.25	BR,SS,ST
HF-903-10	-3	M10X1.5	BR,SS,ST
HF-903-11	-4	M10X1.0	BR,SS,ST
HF-903-12	-4	7/16-20	BR,SS,ST
HF-903-13	-4	7/16-24	BR,SS,ST


>> BRAKE FITTINGS

Material: anodised aluminium(AL), brass(BR), stainless steel(SS), zinc plated steel(ST)




● Tee Block With Mount Tab

Part No	Hose	Material
HF-940	AN3	SS,ST




● Tee Block With Mount Tab

Part No	Thread	Hose	Material
HF-941	3/8X24	AN3	SS,ST



● Tee Block With Mount Tab

Part No	Thread	Hose	Material
HF-942	1/8BSP	AN3	SS,ST



● Tee Block

Part No	Hose	Material
HF-943	AN3	SS,ST



● Tee Block

Part No	Thread	Hose	Material
HF-944	3/8X24	AN3	SS,ST



● Tee Block With Mount Tab

Part No	Thread	Material
HF-939	3/8X24	SS,ST

>> BRAKE FITTINGS

Material: anodised aluminium(AL), brass(BR), stainless steel(SS), zinc plated steel(ST)




● Concave Seat Olive Inserts

Part No	Material
HF-932	BR



● Conuex Seat Olive Inserts

Part No	Size	Material
HF-928-3	AN3	BR
HF-928-4	AN4	BR



● Female Inverted Flare Hose Ends

Part No	Thread	Hose	Material
HF-937-3	M10X1.0	AN3	SS,ST
HF-937-3-2	M10X1.25	AN3	SS,ST
HF-937-3-4	M10X1.5	AN3	SS,ST



● Hose End Sockets

Part No	Size	Material
HF-927-3	AN3	SS,ST
HF-927-4	AN4	SS,ST



● Female Inverted Flare Hose Ends

Part No	Thread	Hose	Material
HF-936-3-3	3/8X24	AN3	SS,ST
HF-936-3-4	M10X1.0	AN3	SS,ST
HF-936-4-4	M10X1.25	AN3	SS,ST
HF-936-3-10	M10X1.5	AN3	SS,ST



>> BRAKE FITTINGS

Material: anodised aluminium(AL), brass(BR), stainless steel(SS), zinc plated steel(ST)



● Alloy AN Banjos Sets

Part No	Technic	Material
HF-881	Washer No Anodized	AL,SS,ST



● Alloy AN Banjos

Part No	AN	A(mm)	Material
HF-882-6	6	M1215	AL,SS,ST
HF-882-8	8	M1215	AL,SS,ST



● Alloy AN Banjos Sets For Oil Tank

Part No	Size	Thread	Material
HF-884-8	8	M2215	AL,SS,ST
HF-884-10	10	M2215	AL,SS,ST



● Stainless Steel Banjo Crimp

Part No	Size	Material
HF-918-0	AN3-0°	AL,SS,ST
HF-918-28	AN3-28°	AL,SS,ST
HF-918-45	AN3-45°	AL,SS,ST



>> BRAKE FITTINGS

Material: anodised aluminium(AL), brass(BR), stainless steel(SS), zinc plated steel(ST)



● 20° Banjo

Part No	Size	Material
HF-916-0	AN3-0°	SS,ST
HF-916-28	AN3-28°	SS,ST
HF-916-45	AN3-45°	SS,ST
HF-916-90	AN3-90°	SS,ST



● Y Block

Part No	Size	Material
HF-945-3	-3	SS,ST
HF-945-4	-4	SS,ST



● Hex Brake Locator

Part No	Thread	Material
HF-925-3	AN3 Φ6	SS,ST
HF-925-10	M10X1	SS,ST
HF-925-5	AN3	SS,ST



● Stainless AN3 Way Divider

Part No	Size	Material
HF-947-3	AN3	SS,ST
HF-947-4	AN4	SS,ST



● Y Block

Part No	Size	Material
HF-946-3	AN3	SS,ST
HF-946-4	AN4	SS,ST



● Y Block

Part No	O.D.	Material
HF2243	Φ9.4mm	SS,ST

>> BRAKE FITTINGS

Material: anodised aluminium(AL), brass(BR), stainless steel(SS), zinc plated steel(ST)



● Brake Hose Fitting

Part No	Size	Material
HF2244	AN3/AN4	SS,ST



● Brake Hose Fitting

Part No	Size	Material
HF2246	AN3/AN4	SS,ST



● Brake Hose Fitting

Part No	Size	Material
HF2248	AN3/AN4	SS,ST



● Brake Hose Fitting

Part No	Size	Material
HF2245	AN3/AN4	SS,ST



● Brake Hose Fitting

Part No	Size	Material
HF2247	AN3/AN4	SS,ST



● Brake Hose Fitting

Part No	Size	Material
HF2249	AN3/AN4	SS,ST

>> BRAKE FITTINGS

Material: anodised aluminium(AL), brass(BR), stainless steel(SS), zinc plated steel(ST)



● 20° Banjo

Part No	I.D.	Size	Material
HF2250-1	10.2mm	AN3/AN4	AL,SS,ST
HF2250-2	11.2mm	AN3/AN4	AL,SS,ST



● 45° Banjo

Part No	I.D.	Size	Material
HF2252-1	10.2mm	AN3/AN4	AL,SS,ST
HF2252-2	11.2mm	AN3/AN4	AL,SS,ST



● Straight Banjo To Male AN

Part No	AN	I.D.	Material
HF2254-1	-3	10.2mm	SS,ST
HF2254-2	-3	12.2mm	SS,ST
HF2254-3	-4	10.2mm	SS,ST
HF2254-4	-4	12.2mm	SS,ST



● 45° Banjo To AN

Part No	AN	I.D.	Material
HF2256-1	-3	10.2mm	SS,ST
HF2256-2	-3	12.2mm	SS,ST
HF2256-3	-4	10.2mm	SS,ST
HF2256-4	-4	12.2mm	SS,ST



● 30° Banjo

Part No	I.D.	Size	Material
HF2251	10.2mm	AN3/AN4	AL,SS,ST



● 90° Banjo

Part No	I.D.	Size	Material
HF2253-1	10.2mm	AN3/AN4	AL,SS,ST
HF2253-2	11.2mm	AN3/AN4	AL,SS,ST



● 20° Banjo To AN

Part No	AN	I.D.	Material
HF2255-1	-3	10.2mm	SS,ST
HF2255-2	-3	11.3mm	SS,ST
HF2255-3	-4	12.2mm	SS,ST



● 90° Banjo To AN

Part No	AN	I.D.	Material
HF2257-1	-3	10.2mm	SS,ST
HF2257-2	-3	12.2mm	SS,ST
HF2257-3	-3	11.5mm	SS,ST
HF2257-4	-4	10.2mm	SS,ST
HF2257-5	-4	11.5mm	SS,ST

>> BRAKE FITTINGS

Material: anodised aluminium(AL), brass(BR), stainless steel(SS), zinc plated steel(ST)



● AN Tube Nuts

Part No	AN	Hose	Material
HF-921-3	3	Φ6.5	SS,ST
HF-921-10	M10X1	Φ5	SS,ST
HF-921-5	3	Φ5	SS,ST
HF-921-9	9/16-18	Φ5	SS,ST
HF-921-6	M10X1	Φ5	SS,ST



● Concave Male Crimped End

Part No	A(mm)	B(mm)	C(mm)	D(mm)	E(mm)	Material
HF-920-1	25.8	12	9	74°	Φ3.65	SS,ST
HF-920-2	32.3	18.5	15	90°	Φ3.65	SS,ST
HF-920-3	27.3	13.5	10	90°	Φ3.65	SS,ST
HF-920-4	24.3	7.3		74°	Φ5.3	SS,ST



● AN Tube Nuts

Part No	Size	Material
HF-923-3	AN3	SS,ST
HF-923-4	AN4	SS,ST
HF-923-6	AN6	SS,ST

● Metric Crimped End

Part No	AN	NPT	Material
HF-922-3	AN3	M10X1.0	SS,ST



● Convex Male Crimped End

Part No	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	Material
HF-920-1	28.3	14.5	14.5	90°	Φ3.65	Φ8	SS,ST
HF-920-2	34	21.2	21.2	90°	Φ3.65	Φ10	SS,ST
HF-920-3	35.3	21.5	21.5	90°	Φ3.65	Φ10	SS,ST
HF-920-4	33.3	19.5	19.5	90°	Φ5.3	Φ8	SS,ST



>> BRAKE FITTINGS

Material: anodised aluminium(AL), brass(BR), stainless steel(SS), zinc plated steel(ST)



● Crimped End

Part No	Hose	Degree	Material
HF-919-3-45	AN3	45°	SS,ST
HF-919-3-90	AN3	90°	SS,ST
HF-919-4-45	AN4	45°	SS,ST
HF-919-4-90	AN4	90°	SS,ST



● Crimped End

Part No	DEG	I.D.	Material
HF2258-0	0	10mm	SS,ST
HF2258-20	20	10mm	SS,ST
HF2258-45	45	10mm	SS,ST
HF2258-90	90	10mm	SS,ST



● Brake Proportioning Valve

Delivers precise pressure metering and strength from a compact billet design. Pressure adjustments range from 100-1000 PSI. This adjustment allows you to fine tune the front to rear braking balance.

Part No	Description
HF2259	1/8" NPT Ports, 2X1/8" NPT To AN3 Inv. Fitting

● Twin Bore Proportioning Valve

Part No	In-Out Thread
HF2260	M10X1.0

● Brake Lines



>> HYDRAULIC HAND BRAKE SYSTEM



● Master Cylinder

Part No	Description	IN	Out	Thr(A)
HF2261-1	0.75"	AN4	AN3	5/16-24
HF2261-2	0.7"	AN4	AN3	5/16-24
HF2261-3	0.625"	AN4	AN3	5/16-24



● Tandem Handbrake Cylinder

Part No	Description	IN	Out	Thr(A)
HF2262	0.75"	M10X1.0	M10X1.0	5/16-24

● Parking Lock Valve(Knob Type)

On the car which cannot attach wire type handbrakes, such as a rear caliper exchange vehicle and a race vehicle.

Feature

A knock type(operation currently used for some ball-points) is used for the operation method. pushing-a lock-pushing once again-a repetition of release.

The stroke was set as 7mm with the pushed admiration. moreover, marking is carried out to the shaft with silver so that the state of release may be known at a glance.

Of course. brake froude corresponds also to DOT4 and DOT5 DOT3.

The seal part was made the double(double) O-ring type for safety serious consideration.

A main part-front shaving appearance-carrying out(billet)-it finished slimly.

The color on the body side is black alumite finish. and the knob side is a combination color of intellogible red alumite finish.


laurette processing of a skid is given to the knob.

*It is not locked,unless it is in the state which applied to which and pushed oil pressure after equipping.

NOTE:

Since it is game exclusive parts fundamentally, please do not neglect it, covering a lock over a slope etc.

Part No	In-Out
HF2263	1/8NPT



>> OTHER BRAKE FITTINGS

